

**CITY OF CHARLOTTE** 

**NEIGHBORHOOD & BUSINESS SERVICES** 

## Invitation to Bid

NOTE: Contractors are not authorized to visit the property before or after the bid walk, without being accompanied by the City's Rehabilitation Specialist.

#### **Documents included in Package:**

- 1) Instruction to Bidders
- 2) Specs by Location/Trade (Scope of Work)
- 3) Subcontractor Certifications (if applicable)
- 4) Floor Plan / Site Drawing (if applicable)

#### **Bid Walk & Bid Opening:**

Project Address: 2329 Thornton Rd.	SAFE HOME CHARLOTTE
Call project manager for full address	
Bid Walk: <b>5/31/18 at 11:00 am</b>	
Bid Opening: <b>6/7/18 at 2:00 pm</b>	
Client Name: Kenneth & Francedia Miller	Contact Number:
Project Manager: Chuck Hitsman	Contact Number: 704-336 3495

#### **Bid Walk and Bidding Instructions:**

All bid walks are mandatory.

If you are going to be late the policy is the following:

Contact me BEFORE the start time if you are going to be late. If you are going to be more than 10 minutes late, we will proceed without you and you will not be permitted to bid.

The day of a bid walk the best way to reach me is at <u>Charles Hitsman</u>(cell # 704-622 1685 or <u>Amanda Woods 704 336 4114).</u>

Bids must be received by the date, time and place specified. All others will be considered non responsive and disqualified.



**CITY OF CHARLOTTE** 

NEIGHBORHOOD & BUSINESS SERVICES

The Bids will be opened at 600 East Trade St. immediately following the above due date and time.

Company Acknowledgement:		
provisions of the housing improver funded through the City of Charlott fully inspected the site in all particular the time stated and in strict accordance any and all labor and materials, and to the advised respective contractual, for	ment work to be per te Neighborhood & rs, hereby proposes be with the proposed o do all work require for the sum of mon	the terms, conditions, limitations, and erformed at 2329 Thornton Rd. to be & Business Services, in addition, having and agrees to fully perform the work within d contract documents including furnishing of d to complete said Work in accordance with ey:  Try for the completion of the Work shown
	•	Dollars (\$
Written total		
Specs Dated: 05/21/18	Number of Pages:	9
Addenda # 1 Dated:	Number of Pages:	
Addenda # 2 Dated:	Number of Pages:	
Contractor's Project Start Date:		( Do not use TBD )
Contractors Project Completion Date	:	( Do not use TBD )
Please Print and Sign:		
Company Name/Firm:		
Authorized Representative Name:	ع المحادث المح	
Signature:	A de Adres de la constantina della constantina d	Date:



**CITY OF CHARLOTTE** 

NEIGHBORHOOD & BUSINESS SERVICES

### **Requirements For Bidders**

The City awards rehabilitation bids to the lowest responsive and responsible bidder. A responsible bidder for the safe home program is one who:

- 1) Is a licensed general contractor in the State of North Carolina;
- 2) Has an Renovate, Repair & Paint Certification (http://www2.epa.gov/lead/renovation-repair-and-painting-program);
- 3) Is not listed on a local, state or federal debarment list;
- 4) Carries an appropriate amounts of insurance;
- 5) Can provide references verifying the contractor has completed work of a similar scope in a good workmanship like manner or successfully completed prior work for the Safe Home program. Referenced work must have been completed in one year or less from date of this invitation to bid.

A responsive bidder must:

- 1) Submit all requested documentation on time;
- 2) Meet the above requirements for responsibility at the time of bid submittal;
- 3) Have the capacity to meet the required schedule for the project.
- 4) Existing rehab projects contracted by the contractor must be on schedule.

The City reserves the right to waive any minor informalities or irregularities, which do not go to the heart of the bid submittal or prejudice other offers, or to reject, for good and compelling reasons, any or all bid submittals.

Charles Hitsman
Rehabilitation Specialist
City of Charlotte
Neighborhood and Business Services
600 E. Trade St.
Charlotte, NC 29202

PH: (704) 336 3495 Fax: (704) 336-3489



**CITY OF CHARLOTTE** 

NEIGHBORHOOD & BUSINESS SERVICES

### Instructions to Bidders

#### **Explanations to Bidders**

Any explanation desired by a Contractor regarding the meaning or interpretation of the advertisement for bids, drawings, specifications, etc., must be requested in writing to the Rehabilitation Specialist with sufficient time allowed for a reply to each Contractor before the submission of their bids. Any interpretation made will be in the form of an addendum to the invitation for bids, drawings, specifications, etc., and will be furnished to all prospective Contractors. The Contractor must acknowledge any revision to the bid documents in the space provided on the bid form and it must be submitted with their bid package.

#### **Preparation of Bids**

Bids shall be submitted on the forms furnished, or copies thereof, and must be manually signed. If erasures or other changes appear on the forms, the person signing the bids must initial each erasure or change

- The Contractor's Bid Proposal must be properly executed and submitted on the form provided. Bids by Contractors must be received by the Rehabilitation Specialist at the time and place specified on the "Invitation to Bid"
- No bid will be considered unless all individual work items on the Bid Form including any addendums are priced. The sum of all work items must equal to the Total Bid Amount.
- Unless called for, alternate bids will not be considered
- Modification of bids already submitted will be considered if received at the office designated in the invitation for bids by the time set for opening of bids

#### **Submittal of Bids**

- Sealed bids will be submitted to the Safe Home Program Office as directed in the invitation to bid prior to or at the appointed bid opening time
- Bid will be time stamped on the date of delivery
- Each bid must be submitted in a sealed envelope bearing on the outside the name of the Contractor, the name of the project for which the bid is submitted, and the date and time of the bid opening
- All bids submitted must be typed or written in ink and signed by the Contractor's designated representative

G:\SELECTIVE REHAB TEAM\forms\bid forms and documents\Invitation to bid WARREN



**CITY OF CHARLOTTE** 

NEIGHBORHOOD & BUSINESS SERVICES

- Failure to include all forms may result in rejection of a bid
- Required Bid Package Forms:
  - Scope of Work
  - o Addenda Acknowledgement
  - o Itemized Work Sheet
  - o Subcontractor Certifications (if applicable)

NEIGHBORHOOD & BUSINESS SERVICES

http://housing.charlottenc.gov | 600 E. Trade Street | Charlotte, NC

Prepared By: City of Charlotte Housing & Neighborhood Services 600 E. Trade Street Charlotte, NC 28202 (704) 336-7600

Property Details							
Address:	2329 Thornton Rd	Owner:	Franc	cedia Miller	•		
	Charlotte, NC 28208	Owner Phone:	Home	e: (704) 391	-2009		
Structure Type:	Single Unit	Program(s):		Safe			
Square Feet:	1174		Teste Safe				
Year Built:	1962			Home FY 2			
Property Value:	68800		Lead	Safe 2016			
Tax Parcel:	0611308					4	
Census Tract:							
Property Zone:	Council District 3						
Repairs							
<u>Description</u>			<u>Floor</u>	Room		Exterio	<u>r</u>
Dumpster				GENERA	L REQ	UIREMEN <b>E</b> k\$erio	r
	ed permits, place AS MANY roll-off dur I methods. Remove dumpster and repa railers.	•	_	_			
		Bid Cost:	Х	λ	=		
		Base		Quantity		Total Cost	
Portable Toilet				GENERA	L REQ	UIREME <b>NEKS</b> erio	r
Provide temporary toilet	facilities from job start until approval of	permanent facilities.					
		Pid Coots	Y		=		

Base

Quantity

**Total Cost** 

## Tear Off & Reroof Shingles

**EXTERIOR** 

Exterior

Remove and dispose of existing roofing, inspect and repair roof deck (include 192 sq.ft. of decking replacement in bid) and install new 30 year architectural shingles. Include ice and water shield at all roof edges, felt paper, shingle over ridge vent, boots, flashing and all necessary accessories. (13.3)

	Bid Cost:		X =	
		Base	Quantity	Total Cost
Vinyl Soffit & Aluminum Facia	The manufacture of the second	and the second second	en de la deservación de la composición dela composición de la composición de la composición dela composición dela composición dela composición de la composición dela composición de la composición dela c	The State of the American State of the American
	Iring existing soffit is onemad we	t11	EXTERIOR	Exterior
Install vented vinyl soffit to roof edges, ensu overhangs. Wrap all facia and wood trim wit	th PVC coated aluminum coil sto	to allow attic ve ck. (11.4 )	intilation. Install solid v	rinyl soffit to all gable
e de la companya del companya de la companya de la companya del companya de la co	Bld O		v	
	Bid Cost: _	Base	X=_ Quantity	Total Cost
Install Handrails - REAR	and the second of the second o	Exertation terms of the same	EXTERIOR	Evicus
Install code approved handrails.				Exterior
Also, re-point all loose bricks. No chalky cond	crete residue to remain on bricks	5.		
	Bid Cost: _		<b>(</b> =	
		Base	Quantity	Total Cost
			î.	
Resilient Flooring	en i di kanala di Araba di Ara	\$ 1 00 1 2 1 2 1 1 1 1 2 1 4 1 4 1 4 1 4 1 4 1	- The state of the state of	entropie de la companyone de la companyone
Install 25 year warrantied resilient floor covering quarter-round at all perimeters to complete in	ing per manufacturer's specificat	ions. Include tr	LIVING ROOM	Exterior
quarter-round at all perimeters to complete in	stallation.	Total Middle Co	and painted	or stained wood
	Bid Cost:	x	=	
		Base	Quantity	Total Cost
et and the section with the section of the section	erenz e z are i i i incer i i i i i i i i i i i i i i i i i i i	Professional Control	Proceedings of the second	to the second second

#### Floor System Repair

#### **KITCHEN**

Remove all fixtures not built in. Dispose of floor assembly. Install 2"x 10" joists hung 16" on center, 3/4" subfloor. Include replacing all deteriorated wall studs, plates, girder band joists and insulating floor to code.

				•
	Bid Cost:	Base	X=_ Quantity	Total Cost
Ceiling Repair	rang grave as a grave	·	KITCHEN	and the state of the entire of the state of
Repair ceiling finish. Replace any large areas's of drywall requested have a replaced and support that the control of the support of the supp	uired- match ceil All others use a	ing texture, pa in adhesive m	aint all. esh and mud over m	nesh with the
	Bid Cost:		X=_	
		Base	Quantity	Total Cost
Prep & Paint Room Semi Gloss	, , , , , , , , , , , , , , , , , , , ,		KITCHEN	
Remove or cover hardware and accessories not to be painted fungus, dirt, and dust from surfaces. Fill holes and cracks. Prin with owner's choice of low VOC acrylic SEMI-GLOSS latex. R furniture required shall be included. (33.27)	me all new mate Leplace or uncov	rials and spot	prime existing with	acrylic latex. Top coat
	Bid Cost:	Base	X=_ Quantity	Total Cost
Cabinets Base	e e suase de la construcción de	a . vm ( .) -	KITCHEN	THE THE PERSON OF THE PERSON O
Replace base cabinets. Cabinets to be constructed of solid magnitude sequences as specifications for full requirements.  Repair any Upper cabinets which are in need of correction	aple and plywoo	od. No particle	board allowed. See	contractor's manual
	Bid Cost:		x =	
	21d 003t	Base	Quantity	Total Cost

Counter Tons Renlac	_

#### **KITCHEN**

Screw to base cabinet a square edged plastic laminate counter top. Provide end-caps and cutout for sink. Caulk counter top to adjoining walls with low VOC caulking to match wall color. Owner's choice of in-stock color and texture. (32.10)

121	
4	

Bid Cost: _		Χ	=
	Base	Quantity	Total Cost

#### **Double Bowl Sink Complete**

#### KITCHEN

Install a 18 gauge 33" x 22" x 9" double bowl, stainless steel, self rimming kitchen sink including a single handle metal body faucet, rated at 2.0 GPM or less, with a 15 year drip- free warranty, P-trap, supply lines, full port ball type shut-off valves & escutcheon plates on all supply & drain lines. No copper compression fittings.



Bid Cost: _		X=	
	Base	Quantity	Total Cost

#### **GFCI Receptacle 20 AMP**

#### KITCHEN

Install a flush mounted, ground fault circuit interrupted, duplex receptacle and cover plate. Fish wire and repair all tear out as needed.

_	Bid Cost:	x	. =	
		Base	Quantity	Total Cost
to Monoral Burgers and Temperature of the control of a department and the control of the control	the state of the second		and the second of the second of	end that the months are also as

#### Resilient Flooring

#### KITCHEN

Install 25 year warrantied resilient floor covering per manufacturer's specifications. Include transitions and painted or stained wood quarter-round at all perimeters to complete installation.



Bid Cost: _		_x	=	
	Base	Quantit	y Total	Cost

#### Prep & Paint Room Semi Gloss

#### LAUNDRY / UTILITY

Remove or cover hardware and accessories not to be painted. Scrape loose, peeling, cracked and blistered areas. Clean oil, grease, fungus, dirt, and dust from surfaces. Fill holes and cracks. Prime all new materials and spot prime existing with acrylic latex. Top coat with owner's choice of low VOC acrylic SEMI-GLOSS latex. Replace or uncover hardware, fixtures and accessories. Any moving of furniture required shall be included. (33.27)

	Bid Cost:	<u> </u>	ζ	=
		Base	Quantity	Total Cost
Resilient Flooring				Y / UTILITY
Install 25 year warrantied resilient floor covering per manufacturater-round at all perimeters to complete installation.	turer's specificat	ions. Include tr	ansitions and pa	ainted or stained wood
	Bid Cost:	×	<b>.</b>	=
		Base	Quantity	Total Cost
Prep & Paint Room Semi Gloss			HALL	
Remove or cover hardware and accessories not to be painted fungus, dirt, and dust from surfaces. Fill holes and cracks. Pri with owner's choice of low VOC acrylic SEMI-GLOSS latex. Furniture required shall be included. (33.27)	me all new mate	erials and spot p	prime existing w	ith acrylic latex. Top coat
	Bid Cost:	<b>)</b>	(	=
		Base	Quantity	Total Cost
Floor System Repair	7, 11, 11, 11, 11, 11, 11, 11, 11, 11, 1		BATHRO	OM - MAIN
Remove all fixtures not built in. Dispose of floor assembly. In all deteriorated band joists and insulating floor to code.	nstall 2"x 10" jois	sts hung 16" on	center, 3/4" sub	ofloor, Include replacing
	Bid Cost:	>	(	=
	Bid OUSL.	Base	Quantity	Total Cost

#### Vanity/ Counter Top/ Sink/ Replace Complete

#### **BATHROOM - MAIN**

Install new vanity cabinet complete with counter top of laminate with vitreous china sink or marble-lite top with preformed sink. Include single handled metal faucet with drain and pop-up, P- trap, supply lines, full port ball type shut-off valves & escutcheon plates.

	Bid Cost:	x	(=	
		Base	Quantity	Total Cost
			•	
Drywall Entire Room			BATHROOM	1 - MAIN
Remove all gypsum, paneling, lathe and plaster or miscella code. Glue, nail and screw new drywall. Apply tape and 3 c paint. (Also 26.0 - Plaster)	neous wall coverin	gs to expose found to achieve	raming. Add insulat a a professional fini	tion as required by ish. Wet sand ready for
	Did O - 4	v	, _	
	Bid Cost:	Base	Quantity	Total Cost
Resilient Flooring	- 1996 - 1998 - 1996 - 1996 - 1998 -	e ya tan	BATHROOM	I - MAIN
Install 25 year warrantied resilient floor covering per manuf quarter-round at all perimeters to complete installation.	acturer's specificat	ons. Include tr	ansitions and paint	ed or stained wood
	Bid Cost:	x	(=	
•	•			
		Base	Quantity	Total Cost
Prep & Paint Room Semi Gloss	na ka arawa wa wa wa s	Base	Quantity BATHROOM	Little of the state of the stat
Prep & Paint Room Semi Gloss  Remove or cover hardware and accessories not to be paint fungus, dirt, and dust from surfaces. Fill holes and cracks. I with owner's choice of low VOC acrylic SEMI-GLOSS latex furniture required shall be included. (33.27)	ted. Scrape loose, Prime all new mate	peeling, cracke	BATHROOM ed and blistered are prime existing with	<b>// - MAIN</b> eas. Clean oil, grease, acrylic latex. Top coat
Remove or cover hardware and accessories not to be painfungus, dirt, and dust from surfaces. Fill holes and cracks. I with owner's choice of low VOC acrylic SEMI-GLOSS latex	ted. Scrape loose, Prime all new mate . Replace or uncov	peeling, cracke	BATHROOM ed and blistered are prime existing with	<b>// - MAIN</b> eas. Clean oil, grease, acrylic latex. Top coat
Remove or cover hardware and accessories not to be painfungus, dirt, and dust from surfaces. Fill holes and cracks. I with owner's choice of low VOC acrylic SEMI-GLOSS latex	ted. Scrape loose, Prime all new mate	peeling, cracke	BATHROOM ed and blistered are prime existing with	<b>// - MAIN</b> eas. Clean oil, grease, acrylic latex. Top coat

#### 17" Height Commode Replace

#### **BATHROOM - MAIN**

Install a 17" height, 2 piece, close coupled, white, vitreous china commode with a maximum water usage per flush of 1.6 gallons. Include plastic or pressed wood white seat, supply pipe, shut-off valve, flap valve and wax seal.

	Bid Cost: _	Х	=	
		Base	Quantity	Total Cost
GFCI Receptacle 20 AMP	The state of the s	A - 1	BATHROOM	- MAIN
Install a flush mounted, ground fault circuit interrupted, duple	ex receptacle and	cover plate. Fish	wire and repair a	Il tear out as needed.
	Bid Cost:	x	·. <b>=</b>	
		Base	Quantity	Total Cost
Bathtub 5' Steel Complete	17 Comments of the Comments of	the things of Address of the Control	BATHROOM	- MAIN
Install a 5' white, enameled, formed steel, tub complete with tub/shower diverter with water saving shower head. Install w horizontal edging, include horizontal window sill.	lever operated po hite tile to 5' heig	op up drain and o ht at three sides o	verflow, PVC was of tub. Use bull-no	te, single lever se verticle &
	Bid Cost:	х	=	
		Base	Quantity	Total Cost
Resilient Flooring			KITCHEN	love a series de la company
Install 25 year warrantied resilient floor covering per manufact quarter-round at all perimeters to complete installation.	cturer's specificat	ons. Include trans	sitions and painte	d or stained wood
	Bid Cost:	х	=	
		Base	Quantity	Total Cost
Exterminate Termites	s a Challennich Kan	- " .	to the second second	
Exterminate for termites. Drill and patch foundation and pavel year guarantee with an optional yearly renewable warranty fo	ment where nece r the homeowner	ssary. Extermina	or must be licens	ed and provide a 1
	Bid Cost:	х		
	Dia Oost.			

## Water heater 40 Gallon Gas

Remove existing water heater and all obsolete or deteriorated flue piping and gas line and dispose of properly.

Install an insulated 40 gallon, glass lined, high recovery gas water heater with a 10 year warranty and an Energy Factor of .61 or greater.

Installation includes PRV valve and extension, drain pan with drain to the exterior, expansion tank, and new gas line and flue piping through the roof as necessary to meet the requirements of the Construction Specifications and all relevant NC Codes.

	Bid Cost:		X		=	
والمرازي والمراوية والمرازية		Base		Quantit	— - У	Total Cost
Prep & Paint Exterior Surfaces - EXTERIOR	one and one of the second	*** * * * **	*** *	4		
Prep and paint all exterior painted surfaces. Properly disp deteriorated materials. Caulk and fill all cracks, voids, hol color. All work to be done in a neat & professional manne	pose all loose mate les, etc. prior to app er. Use care to prote	rials. Secure llying 25-yea ect all surfac	e or re ar or b ses not	place all loo etter Low Vo	se, bro OC pa r pain	oken, rotted or int. Owners choice of toverage.
	Bid Cost: _		x_		=	
Vinyl Window	AS	Base		Quantity		Total Cost
Exterior trim to be wrapped in PVC coated aluminum coil a nstallation is to include repairing any damaged header, fra oists and sill.	aming (to include ki	na stude in	ok otvo	by removal	and II	istaliation. This
जन्म वाच आ,				is etc.) sub-	floor, 1	floor joists, band
oots and sill.	Bid Cost:			is etc.) sub-	floor, 1	floor joists, band
Sliding Glass Patio Door	Bid Cost:	Base	<b>X</b>	Quantity	floor, 1	Total Cost
Sliding Glass Patio Door  Remove and dispose of existing door, frame and threshold creen and locking hardware. Insulate cavity, New casing a	Bid Cost: Install new Energy and shoe molding w , floor joists, band j	Base / Star rated /ill match ex	X pre-huisting.	Quantity  Ing exterior This installa	floor, 1	Total Cost
iliding Glass Patio Door demove and dispose of existing door, frame and threshold creen and locking hardware. Insulate cavity. New casing a my damaged header, door framing, wall framing, sub-floor,	Bid Cost: Install new Energy and shoe molding w , floor joists, band jo  Bid Cost:	Base / Star rated /ill match ex	X pre-huisting.	Quantity  Ing exterior This installa	floor, 1	Total Cost  iding patio door with to include repairing
A control of the cont	Bid Cost: Install new Energy and shoe molding w , floor joists, band jo  Bid Cost:	Base / Star rated /ill match ex poists, and si	X pre-huisting.	Quantity  Ing exterior This installa	floor, 1	Total Cost
Sliding Glass Patio Door Remove and dispose of existing door, frame and threshold creen and locking hardware. Insulate cavity. New casing a ny damaged header, door framing, wall framing, sub-floor,	Bid Cost: Install new Energy and shoe molding w , floor joists, band j	Base / Star rated /ill match ex pists, and si	X pre-hu isting. II.	Quantity Ing exterior This installa	vinyl s	Total Cost iding patio door with to include repairing Total Cost
Sliding Glass Patio Door Remove and dispose of existing door, frame and threshold creen and locking hardware. Insulate cavity. New casing a ny damaged header, door framing, wall framing, sub-floor, ouble Bowl Sink Complete stall a 18 gauge 33" x 22" x 8" double bowl, stainless stee ted at 2.0 GPM or less, with a 15 year drip- free warranty	Bid Cost: Install new Energy and shoe molding w , floor joists, band j	Base  / Star rated  //ill match ex  poists, and si  Base  den sink includes, full port be	X pre-hu isting. II.	Quantity Ing exterior This installa	vinyl s	Total Cost iding patio door with to include repairing Total Cost

Certification

Contractor Name:	Total Cost:
Signature:	Date: